

GYPSUM

LIGHT

VOL I




Gypsum lamp

Loving light and architecture,
melting them in the most creative solutions, looking for
the most advanced, lighting and technical



JHLIGPL2000001


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



310mm*310mm




Angle




JHLIGPL2000002


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



ø 240mm



Angle





JHLIGPL2000003

Power	MAX 20W		
Voltage	36V		
Current	500mA		
Angle	15°	24°	36°
Lumen	1856LM	1882LM	1897LM
CRI	90/98		
IP	20		
Installation	Embedded		





Angle




ø 390mm





JHLIGPL2000004


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16



GU10







MODULE




Honey Comb Spread Lens Solite Lens

Angle



JHLIGPL2000005


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16



GU10







MODULE



Honey Comb Spread Lens Solite Lens



Angle






JHLIGPL2000006

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			





Angle




JHLIGPL2000007

Power	MAX 30W			
Voltage	36V			
Current	700mA			
Angle	24°	36°		
Lumen	2356LM	2372LM		
CRI	90			
IP	20			
Installation	Embedded			




Angle



JHLIGPL2000008

Power	MAX 30W			
Voltage	36V			
Current	700mA			
Angle	24°	36°		
Lumen	2356LM	2372LM		
CRI	90			
IP	20			
Installation	Embedded			




Angle





JHLIGPL2000009

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			





Angle





JHLIGPL2000010

Power	MAX 6W		
Voltage	36V		
Current	150mA		
Angle	15°	24°	36°
Lumen	456LM	472LM	486LM
CRI	90/98		
IP	20		
Installation	Embedded		



MR11




MODULE




Honey Comb Spread Lens Solite Lens


Angle



15A



24A




36A



JHLIGPL2000011


Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16



GU10




MODULE




Honey Comb Spread Lens Solite Lens


Angle




15A



24A



36A




60A





JHLIGPL2000012

Power	MAX 2*10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16


GU10

MODULE




Honey Comb Spread Lens Solite Lens

Angle



JHLIGPL2000013

Power	MAX 3*10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16


GU10

MODULE




Honey Comb Spread Lens Solite Lens

Angle



JHLIGPL2000014

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16


GU10

MODULE





Honey Comb Spread Lens Solite Lens

Angle



JHLIGPL2000015

Power	MAX 2*10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			



MR16


GU10

MODULE



Honey Comb Spread Lens Solite Lens

Angle






JHLIGPL2000016

Power	MAX 6W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded




JHLIGPL2000017

Power	MAX 10W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded



JHLIGPL2000018


Power	MAX 18W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded






JHLIGPL2000019

Power	MAX 7W
Voltage	36V
Current	200mA
Angle	110°
Lumen	516LM
CRI	90
IP	20
Installation	Embedded




JHLIGPL2000020

Power	MAX 10W
Voltage	36V
Current	250mA
Angle	110°
Lumen	836LM
CRI	90
IP	20
Installation	Embedded




JHLIGPL2000021

Power	MAX 20W
Voltage	36V
Current	500mA
Angle	110°
Lumen	1656LM
CRI	90
IP	20
Installation	Embedded



JHLIGPL2000022

Power	MAX 25W
Voltage	36V
Current	600mA
Angle	110°
Lumen	2023LM
CRI	90
IP	20
Installation	Embedded






JHLIGPL2000023

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded




JHLIGPL2000024

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded



JHLIGPL2000025


Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded






JHLIGPL2000026

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded




JHLIGPL2000027

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded





JHLIGPL2000028

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded



JHLIGPL2000029

Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded






JHLIGPL2000030

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			





Angle




JHLIGPL2000031

Power	MAX 10W			
Voltage	36V			
Current	250mA			
Angle	15°	24°	36°	60°
Lumen	916LM	925LM	953LM	987LM
CRI	90/98			
IP	20			
Installation	Embedded			





Angle








JHLIGPL2000032

Power	MAX 20W		
Voltage	36V		
Current	500mA		
Angle	15°	24°	36°
Lumen	1856LM	1882LM	1897LM
CRI	90/98		
IP	20		
Installation	Embedded		




Angle






JHLIGPL2000033

Power	MAX 2*6W
Input	AC 220~240V
Light source	E14
CRI	90
IP	20
Installation	Embedded




JHLIGPL2000036

Power	MAX 4W
Input	AC 220~240V
Light source	Mr11
CRI	90
IP	20
Installation	Embedded




JHLIGPL2000034

Power	MAX 6W
Input	AC 220~240V
Light source	E14
CRI	90
IP	20
Installation	Embedded




JHLIGPL2000037

Power	MAX 4W
Input	AC 220~240V
Light source	G9
CRI	90
IP	20
Installation	Embedded



JHLIGPL2000035

Power	MAX 2*4W
Input	AC 220~240V
Light source	G9
CRI	90
IP	20
Installation	Embedded






Embedded




JHLIGPL2000038

Power	MAX 6W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded



JHLIGPL2000039

Power	MAX 10W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Embedded






Surface mounted




JHLIGPL2000040

Power	MAX 6W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Surface mounted



JHLIGPL2000041


Power	MAX 10W
Input	AC 220~240V
Output	24V
CRI	90
IP	20
Installation	Surface mounted






JHLIGPL2000042

Power	MAX 2*4W
Input	AC 220~240V
Light source	G9*2
CRI	90
IP	20
Installation	Surface mounted




JHLIGPL2000043

Power	MAX 2*4W
Input	AC 220~240V
Light source	G9*2
CRI	90
IP	20
Installation	Surface mounted



JHLIGPL2000044


Power	MAX 2*4W
Input	AC 220~240V
Light source	GU10*2
CRI	90
IP	20
Installation	Surface mounted






JHLIGPL2000045

Power	MAX 6W
Input	AC 220~240V
Light source	SMD
CRI	90
IP	20
Installation	Surface mounted




JHLIGPL2000046

Power	MAX 10W
Input	AC 220~240V
Light source	SMD
CRI	90
IP	20
Installation	Surface mounted



JHLIGPL2000047

Power	MAX 4W
Input	AC 220~240V
Light source	G9
CRI	90
IP	20
Installation	Surface mounted






JHLIGPL2000048


Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded



MR11



MODULE



85mm*170mm




JHLIGPL2000049



Power	MAX 3W
Input	AC 220~240V
Output	36V
CRI	90
IP	20
Installation	Embedded



MR11



MODULE



150mm*175mm