

OUTDOOR

LIGHT


VOL XI

*Area lighting series are suitable for wall or street,
with the special design, the lighting ensures the
flexibility of use: work as floodlight with bracket,
as street light with pole and connector.*



MW
MEAN WELL
PHILIPS
5 Years
Warranty

BLASX
LIGHTING



Model	Power	Size	Lens	Chip qty	Chip size	Lumen	Voltage	Beam Angle	CCT	CRI
KHGL066133	50W	390*220*50mm	8in1	72pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066134	80W	390*220*50mm	12in1	108pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066135	80W	390*220*50mm	16in1	144pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066136	100W	430*262*50mm	8in1	128pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066137	150W	430*262*50mm	12in1	192pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066138	150W	430*262*50mm	16in1	256pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066139	200W	530*322*50mm	8in1	200pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066140	250W	530*322*50mm	12in1	300pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066141	250W	530*322*50mm	16in1	400pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80



068 Flood light are produced in 3 different sizes and each with different power. Luminaires are equipped with optical elements that can meet a wide range of lighting needs. It can provide sufficient power and different color temperature in area lighting, facade lighting and many usage areas. Luminaires are aluminum body. It has steel mounting feet.

STREET LIGHT VERSION




50W/80W/100W/150W/200W/250W



PHILIPS

5 Years
Warranty




BLASX
LIGHTING



Surge protection 6KV




Model	Power	Size	Lens	Chip qty	Chip size	Lumen	Voltage	Beam Angle	CCT	CRI
KHGL066142	50W	560*219*50mm	8in1	72pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066143	80W	560*219*50mm	12in1	108pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066144	80W	560*219*50mm	16in1	144pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066145	100W	600*261*50mm	8in1	128pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066146	150W	600*261*50mm	12in1	192pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066147	150W	600*261*50mm	16in1	256pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066148	200W	670*321*50mm	8in1	200pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066149	250W	670*321*50mm	12in1	300pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGL066150	250W	670*321*50mm	16in1	400pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80



Surge protection 6KV



Model	Power	Size	Lens	Chip qty	Chip size	Lumen	Voltage	Beam Angle	CCT	CRI
KHGLO66151	50W	475*219*90mm	8in1	72pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66152	80W	475*219*90mm	12in1	108pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66153	80W	475*219*90mm	16in1	144pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66154	100W	515*262*90mm	8in1	128pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66155	150W	515*262*90mm	12in1	192pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66156	150W	515*262*90mm	16in1	256pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66157	200W	587*322*90mm	8in1	200pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66158	250W	587*322*90mm	12in1	300pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66159	250W	587*322*90mm	16in1	400pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80



Surge protection 6KV



Model	Power	Size	Lens	Chip qty	Chip size	Lumen	Voltage	Beam Angle	CCT	CRI
KHGLO66160	50W	445*219*51mm	8in1	72pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66161	80W	445*219*51mm	12in1	108pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66162	80W	445*219*51mm	16in1	144pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66163	100W	485*262*51mm	8in1	128pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66164	150W	485*262*51mm	12in1	192pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66165	150W	485*262*51mm	16in1	256pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66166	200W	557*322*51mm	8in1	200pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66167	250W	557*322*51mm	12in1	300pcs	Philips3030	130lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80
KHGLO66168	250W	557*322*51mm	16in1	400pcs	Philips3030	150lm/W	AC100-265V	15°/30°/60°/90°/120°/150°/90X90°/142X52°/150X150°/150X75	2700-6500K	>80